




















Typ - RAC R410A	Chlaz. / top. (kW)	Provedení	Místnost (m ³)	Cena v Kč bez DPH
STANDARD S - inverter				
P09EN	2,5/3,2		65	22 800
P12EN	3,5/3,8		90	23 700
P18EN	5,0/5,8		140	36 600
P24EN	6,8/8,0		200	43 300
STANDARD PLUS - inverter (WIFI součástí jednotky)				
PM09SP	2,5/3,2		65	26 200
PM12SP	3,5/3,8		90	27 200
PM18SP	5,0/5,8		140	40 100
PM24SP	6,6/7,5		200	47 500
DELUXE - inverter (WIFI součástí jednotky)				
DM09RP	2,5/3,2		65	35 100
DM12RP	3,5/4,0		90	37 600
DM18RP	5,0/5,8		140	46 300
DM24RP	6,6/7,5		200	54 900
ARTCOOL STYLIST - inverter				
G09WL	2,5/3,0		65	48 100
G12WL	3,5/3,5		90	51 700
ARTCOOL - inverter (WIFI součástí jednotky)				
AM09BP	2,5/3,2		65	36 000
AM12BP	3,5/3,8		90	40 200
AM18BP	5,0/5,8		140	48 100
PRESTIGE - inverter				
H09AP	2,5/3,2		65	48 200
H12AP	3,5/4,0		90	53 100

Typ - MULTI R410A	Chlaz./top. (kW)	Provedení	Místnost (m ³)	Cena v Kč bez DPH
MULTI F - venkovní jednotky INVERTOR - jednofázové napájení				
MU2M15 (max. 2 vn. jed./21k)	4,1/4,7			38 300
MU2M17 (max. 2 vn. jed./24k)	4,7/5,3			41 100
MU3M19 (max. 3 vn. jed./30k)	5,3/6,3			42 700
MU3M21 (max. 3 vn. jed./33k)	6,1/7,0			48 100
MU4M25 (max. 4 vn. jed./39k)	7,0/8,4			56 900
MU4M27 (max. 4 vn. jed./41k)	7,9/9,0			60 900
MU5M30 (max. 5 vn. jed./48k)	8,8/10,1			66 500
MU5M40 (max. 5 vn. jed./52k)	11,2/12,5			98 000
MULTI FDX - venkovní jednotky INVERTOR - jednofázové napájení				
FM40AH (max. 7 vn. jed./54k)	11,2/12,5			96 700
FM48AH (max. 8 vn. jed./63k)	14,0/16,0			114 300
FM56AH (max. 8 vn. jed./73k)	15,5/17,4			125 600
MULTI FDX - venkovní jednotky INVERTOR - třífázové napájení				
FM41AH (max. 7 vn. jed./54k)	12,1/12,5			110 800
FM49AH (max. 8 vn. jed./63k)	14,0/16,0			127 600
FM57AH (max. 9 vn. jed./73k)	15,5/17,4			133 400
MULTI - Standard Plus - nástěnné vnitřní jednotky (WIFI součástí jednotky)				
PM05SP	1,5/1,6		35	6 900
PM07SP	2,0/2,3		50	7 400
PM09SP	2,6/2,9		65	9 100
PM12SP	3,5/3,8		90	9 500
PM15SP	4,2/5,4		110	9 600
PM18SP	5,3/5,8		140	10 800
PM24SP	6,7/7,5		200	11 500
MULTI - Deluxe - nástěnné vnitřní jednotky (WIFI součástí jednotky)				
DM07RP	2,0/2,3		50	9 600
DM09RP	2,6/2,9		65	10 700
DM12RP	3,5/3,8		90	10 900
DM18RP	5,3/5,8		140	14 700
DM24RP	6,7/7,5		200	16 400
MULTI - ARTCOOL - nástěnné vnitřní jednotky (WIFI součástí jednotky)				
AM07BP	2,0/2,3		50	12 000
AM09BP	2,6/2,9		65	12 400
AM12BP	3,5/3,8		90	14 600
AM18BP	5,3/5,8		140	18 500
MULTI - ARTCOOL Gallery - nástěnné vnitřní jednotky				
MA09AH1	2,6/2,9		65	14 000
MA12AH1	3,5/3,8		90	15 000

Typ - MULTI	R410A	Chlaz./top. (kW)	Provedení	Místnost (m ³)	Cena v Kč bez DPH
MULTI - KAZETOVÉ 1-cestné vnitřní jednotky (s rámečkem)					
MT09AH (PT-UUC1)		2,6/2,9		65	17 800
MT11AH (PT-UUC1)		3,5/3,9		90	19 300
MULTI - KAZETOVÉ 4-cestné vnitřní jednotky (s rámečkem)					
MT06AH (PT-UQC)		1,5/1,6		35	17 900
MT08AH (PT-UQC)		2,0/2,3		50	18 700
CT09 (PT-UQC)		2,6/2,9		65	19 800
CT12 (PT-UQC)		3,5/3,8		90	21 200
CT18 (PT-UQC)		5,3/5,8		140	21 900
CT24 (PT-UMC1)		7,0/7,7		200	25 200
PODSTROPNÍ - PARAPETNÍ - vnitřní jednotky					
CV09		2,6/2,9		65	13 400
CV12		3,5/3,8		90	14 800
MULTI - KONZOLE - vnitřní jednotky					
CQ09		2,6/2,9		65	17 100
CQ12		3,5/3,8		90	18 400
CQ18		5,3/5,8		140	21 200
MULTI - KANÁLOVÉ (střednětlaké) - univerzální vnitřní jednotky					
CM18		5,3/5,8		140	20 300
CM24		7,0/7,7		200	20 600
MULTI - KANÁLOVÉ (nízkotlaké SLIM) - univerzální vnitřní jednotky					
CB09L		2,6/2,9		65	17 900
CB12L		3,5/3,8		90	19 900
CB18L		5,3/5,8		140	22 400
CB24L		7,0/7,7		200	23 600
DISTRIBUTORY					
PMBD3620 (7k/9k/12k/18k/24k)		pro 2 jednotky			7 500
PMBD3630 (7k/9k/12k/18k/24k)		pro 3 jednotky			9 200
PMBD3640 (7k/9k/12k/18k/24k)		pro 4 jednotky			12 100
REFNETY					
PMBL5620		pro 2 distributory			4 000
PMBL1203F0		pro 3 distributory			5 700

Typ - CAC	R410A	Chlaz./top. (kW)	Provedení	Místnost (m ³)	Cena v Kč bez DPH
VENKOVNÍ JEDNOTKY ECONO (invertor) - jednofázové napájení					
UU18WC (pouze k UB18C)		4,7/5,2			32 000
UU24WC (pouze k UB24C)		6,8/7,5		35 100	
UU30WC (pouze k UM30)		8,0/9,0		38 900	
UU36WC (pouze k UM36)		10,0/11,0		48 600	
VENKOVNÍ JEDNOTKY (invertor) - jednofázové napájení					
UU09W		2,5/3,0			32 300
UU12W		3,4/4,0		33 100	
UU18W		4,7/5,5		37 100	
UU24W		7,1/8,0		43 900	
UU30W		8,0/9,0		47 600	
UU36W		10,0/11,0		67 900	
UU42W		12,5/14,0		86 000	
UU48W		13,9/15,4		88 000	
UU60W		14,6/16,9		93 300	
VENKOVNÍ JEDNOTKY (standard invertor) - třífázové napájení					
UU37W		10,0/11,2			71 400
UU43W		12,5/14,0		86 200	
UU49W		14,0/16,4		92 500	
UU61W		14,8/16,8		100 700	
UU70W		19,0/22,4		126 500	
UU85W		23,0/27,0		154 900	
KAZETOVÉ 4-cestné vnitřní jednotky (s rámečkem)					
CT09 (PT-UQC)		2,8/2,9		65	19 800
CT12 (PT-UQC)		3,4/3,8		90	21 200
CT18 (PT-UQC)		5,3/5,7		140	21 900
CT24 (PT-UMC1)		7,0/7,5		200	25 200
UT30 (PT-UMC1)		8,0/9,0		260	28 500
UT36 (PT-UMC1)		10,0/11,1		310	32 900
UT42 (PT-UMC1)		12,3/13,7		370	35 500
UT48 (PT-UMC1)		13,7/14,5		430	37 200
UT60 (PT-UMC1)		15,4/17,9		540	43 500
KANÁLOVÉ ECONO (střednětlaké) - vnitřní jednotky					
UB18C (pouze k UU18WC)		5,0/5,9		140	18 000
UB24C (pouze k UU24WC)		7,0/8,0		200	19 600
KANÁLOVÉ (střednětlaké) - vnitřní jednotky					
CM18		5,0/5,9		140	20 300
CM24		7,0/8,0		200	20 600
UM30		8,0/9,0		260	24 300
UM36		10,0/11,1		310	27 600
UM42		12,3/13,7		370	33 300
UM48		13,7/14,5		430	35 000
UM60		15,4/17,9		540	36 800
KANÁLOVÉ (vysokotlaké) - vnitřní jednotky					
UB70		19,0/22,4		570	80 600
UB85		23,0/27,0		650	88 900
MULTI - KANÁLOVÉ (nízkotlaké SLIM) - univerzální vnitřní jednotky					
CB09L		2,6/2,9		65	17 900
CB12L		3,5/3,8		90	19 900
CB18L		5,3/5,8		140	22 400
CB24L		7,0/7,7		200	23 600

Typ - CAC R410A	Chlaz./top. (kW)	Provedení	Místnost (m ³)	Cena v Kč bez DPH
PODSTROPNÍ - PARAPETNÍ - vnitřní jednotky				
CV09	2,8/2,9		65	13 400
CV12	3,3/3,8		90	14 800
PARAPETNÍ - KONZOLE - vnitřní jednotky				
CQ09	2,6/2,9		65	17 100
CQ12	3,5/3,8		90	18 400
CQ18	5,3/5,8		140	21 200
NÁSTĚNNÉ - vnitřní jednotky				
UJ30	7,8/8,4		260	26 300
UJ36	9,5/10,5		310	28 400
SLOUPOVÁ - vnitřní jednotka				
UP48	13,4/15,5		430	58 900
REFNET SYNCHRO	poměr výkonu			
PMUB11A (pro 2 jednotky)	50:50			3 600
PMUB111A (pro 3 jednotky)	33:33:33			3 800
PMUB1111A (pro 4 jednotky)	25:25:25:25			4 700
ELEKTRONIKA k připojení na VZT výparník a systém MaR				
KM113.07UU	0-10 V; DI, DO			19 600
KM113.27UU Modbus + MOV	0-10 V; DI, DO			21 200
MOV-UU				3 900
Dveřní clony Teddington o výkonu 6,4 - 17,1 kW - CENY NA DOTAZ				

www.lg-klimatizace.cz, www.lg-shop.cz